

SECTION 7 – CONSTRUCTION DETAIL DRAWINGS

**Denver
Water
Sheet #**

- 1 Water Distribution System Typical Plan (See Denver Water)
- 2 Water Distribution System Typical Plan for Curved Streets (See Denver Water)
- 3 Water Distribution System Typical Plan for Cul-De-Sac (See Denver Water)
- 4 Typical Street Cross Section and Street Centerline Profile (See Denver Water)
- 5 Typical Private Street Cross Section (See Denver Water)
- 6 Typical Quarter Section Hydraulic Grid System (See Denver Water)
- 7 Piping at Street Intersections for Future Connections (See Denver Water)
- 8 Plan, Profile, and Location for Fire Hydrants, Mains, and Valves (See Denver Water)
- 9 3” and Larger Domestic and Fireline Connections (See Denver Water)
- 10 Fireline Connection with Domestic Service Tap (See Denver Water)
- 11 NFPA 13D Residential Sprinkler Services (See Denver Water)
- 12 ~~Typical Trench Section~~ (See W-01 - Standard Bedding for Water Lines)
- 13 ~~Typical Trench Section for Pipeline in Dipping Bedrock~~ (See W-02 – Special Bedding for Water Line)
- 14 Ditch or Canal Crossing
- 15 Storm and Sanitary Sewer Crossing
- 16 Open Cut Crossing Over or Under Conduit or Conflicting Utility
- 17 Bored Crossing Beneath Conduits
- 18 ~~Bore Casing Detail~~ (See W-03 – Steel Casing for Carrier Pipe)
- 19 Valve Operation
See Also W-04 – Gate Valve
- 20 Recycled Water System Pentagon Operating Nut
- 21 Valve Box Support Plate
- 22 Valve Operator Extension
- 23 Valve Operator Guide
- 24 Standard Adjustable Support
- 25 Heavy Duty Adjustable Support
- 26 6” \varnothing Industrial Vent Pipe and Screen
- 27 6” \varnothing Residential Vent Pipe
- 28 Concrete Kickblocks Bearing Surfaces and Installation
- 29 Concrete Kickblock Requirements for Water Main and Tap Size Combos
- 30 Stud Nut Tightening Sequence
- 31 Flange Lug Detail
- 32 Length of Restrained Pipe
- 33 Polyethylene Wrap on Pipe and at Tap Installation
- 34 Insulated Joints, Rods, and Bolted Sleeve Type Couplings
- 35 Ductile Iron Pipe Joint Bonding
- 36 **Cadweld Protection (See also Detail W-06 – Cathodic Protection and Test Station)**
- 37 Tracer Wire Installation for PVC Water Main
- 38 Traffic Impediment Bollard
- 39 ~~Reference Post~~ (See W-07 – Standard Steel Post and W-08 – Redwood Marker Post)
- 40 Pressure Regulating or Check Valve Manhole Installation Typical Plan
- 41 Pressure Regulating or Check Valve Manhole Installation Typical Cross Section
- 42 Pressure Regulating or Check Valve Rectangular Vault Typical Plan

- 43 Pressure Regulating or Check Valve Rectangular Vault Typical Cross Section
- 44 Typical Concrete Manhole Installation
- 45 Standard Design for 2" Blowoff Manhole
- 46 Temporary Blowoff Installation for 12" and Smaller Pipe
- 47 Transmission Main Blowoff Installation
- 48 ~~Air Valve Assembly with Access Manhole (See W-10 – Combination Air Valve Assembly)~~
- 49 ~~Air Valve Assembly (See W-10 – Combination Air Valve Assembly)~~
- 50 Access Manhole
- 51 Pitot Installation
- 52 ~~16", 20", and 24" Conduit or Transmission Main, Flanged Butterfly Valve Installation (See W-11 – Flanged Butterfly Valve Vault Installation for 16" to 24" Pipe)~~
- 53 General Meter & Service Notes
- 54 2" and Smaller Service Line, Stop Box, and Outside Meter Installation
- 55 Outside Setting for 3/4" and 1" Meters
- 56 Outside Setting for 1 1/2" and 2" Meter with Check Valve and Bypass in Manhole
- 57 Large Meter in Vault
- 58 Outside Setting for 1 1/2" and 2" Meter and Bypass in Manhole with Inside Backflow Prevention Assembly
- 59 Outside Setting for 1 1/2" and 2" Double Check Valve Assembly in Manhole
- 60 Outside Setting for 2" & Smaller Reduced Pressure Principle Assembly in Enclosure
- 61 Outside Setting for 4" & Larger Reduced Pressure Principle Assembly N-Type, Above Ground
- 62 Service Line Stop Box & Inside Meter Installation for Existing 3/4" & 1" Meter
- 63 Inside Setting for Existing 3/4" & 1" Meter with AMR
- 64 Inside Setting for Existing 1 1/2" & 2" Meter & Bypass with Inside Backflow Prevention Assembly
- 65 Inside Setting for 3" & Larger Meter
- 66 Remote AMR Device Installation on Outside Building Wall
- 67 Outside Setting for 2" Detector Check Valve in Manhole
- 68 Inside Setting for 2" Detector Check Valve
- 69 Irrigation Outside Setting for 2" & Smaller Reduced Pressure Principle Assembly in Enclosure
- 70 Drinking Fountain Double Check Valve Above Ground Installation
- 71 Drinking Fountain Double Check Valve Below Ground Installation
- 72 Standard Design for Hydrant Interconnection
- 73 Standard Hydrant Meter Installation
- 74 Submerged Butterfly Valve with Torque Tube & Actuator Stand
- 75 Chlorination Tap (Ductile Iron Pipe)
- 76 2" Blowoff Hydrant

Additional Southgate Water District Details:

- W-05 Typical Utility Cross Section in Easement**
- W-09 PRV Vault Piping and Appurtenances**
- W-12 Standard 24" Ring and Cover**
- W-13 Aluminum 24" Ring and Bolt Down Cover**
- W-14 36"x24" Double Ring and Cover**
- W-15 CLSM Cut-off Wall**
- W-16 Concrete Encasement Detail**
- W-17 Water Main Trench Insulation Detail**
- W-18 PVC to Asbestos Concrete Transition**
- W-19 Southgate Water District General Notes**